

DESCRIPTION

Drew Marine compression packings are designed to minimize wear and damage to pumps and valves, thus reducing costs for maintenance and replacement. Because they are constructed for maximum packing life, inventory lasts longer and outlays for packing materials are also reduced.

APPLICATIONS

High-pressure and temperature steam service

EQUIPMENT

Valve stems - superheater valves, feedwater valves, expansion joints, and soot blowers.

MAXIMUM TEMPERATURE

650°C in steam

PACKAGING

SIZES:

Inches	mm
1/8"	3.0
3/16"	5.0
1/4"	6.0
5/16"	8.0
3/8"	9.52
7/16"	11.0
1/2"	12.7
9/16"	14.0
5/8"	16.0
3/4"	19.0
7/8"	22.0
1"	25.0

BOX SIZE: (APPROX.)

lbs.	Meters	PCN:
1	26.5	8125107
1	18.0	8125149
2	15.5	8125172
2	8.8	8125206
2	6.0	8125230
2	4.6	8125263
5	9.0	8125297
5	7.5	8125339
5	6.5	8125362
5	4.5	8125420
11	7.3	8125446
11	6.1	8125487

PH RANGE

1 - 12

MAXIMUM PRESSURE

170 bar (2500 psi) **Valves Only**

CONSTRUCTION

High-temperature carbon yarn with Inconel™ wire-braided over a resilient core thoroughly impregnated with graphite and corrosion inhibitor.

PERFORMANCE

- Excellent pressure resistance with virtually no stem wear
- Good sealing capacity at elevated temperatures, further enhanced by low torque values

 **Contact your Drew Marine representative for more information**

SEALING PRODUCTS (AVAILABLE UPON REQUEST)

HIGH-GRADE COMPRESSION PACKINGS

AMERPACK® 2400 Packing
AMERFLON® 2001 Packing
AMERINE™ 1400 Packing
AMERFLON SG Stern Gland Packing Tank Lid Packing
AMERGRAF® 1000 Graphite Ribbon Packing

SPECIAL JOINTINGS AND ENGINEERED GASKETS

Special Sheet Jointing

- Non-standard sizes and thicknesses
- Special materials, including: Teflon® (virgin and glass-filled), vegetable fiber, Viton®, flexible graphite, graphite, red rubber

Cut Flange Gaskets

- Pre-cut to specifications for maximum convenience
- Available materials include: Teflon (virgin and glass-filled) vegetable fiber, Viton, flexible graphite, rubber sheet

Spiral Wound Gaskets

- Filler materials available for ANSI-standard pipe sizes include: flexible graphite, PTFE, mica graphite, ceramic
- Metal clad and heat exchanger gaskets
- Boiler handhole gasket



Contact your Drew Marine representative for more information

Drew Marine maintains Safety Data Sheets on all of its products. These documents contain health and safety information for the development of appropriate product handling procedures to protect your employees. Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using Drew Marine products.



Drew Marine®

**100 South Jefferson Road
Whippany, NJ 07981 USA
1-973-526-5700
Drew-Marine.com**

Copyright © Drew Marine. All Rights Reserved. All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which seller assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.