

DESCRIPTION

DREWCLEAN 3000 quick breaking degreaser is a heavy duty liquid degreaser with a fresh scent. It easily removes fresh and aged oily soils. It is recommended for cleaning and degreasing engine rooms, tank tops, and bilges, as well as for cleaning bulkheads and other shipboard surfaces from grease and oily soils.

DREWCLEAN 3000 quick breaking degreaser is non-corrosive and consequently can be safely used on painted and unpainted metal surfaces. It contains no chlorinated solvents or surfactants.

DREWCLEAN 3000 quick breaking degreaser has been tested and passed the Emulsion Separation Test per IMO MEPC/Circ. 289, Information of Cleansing Agents for Use in Machinery Spaces of Ships.

DREWCLEAN 3000 quick breaking degreaser will not harm the efficiency of the oily water separator unit. The product is a balanced blend of solvents, which perform only long enough for the degreaser to act on surface soils and dirt. DREWCLEAN 3000 then breaks quickly and releases its hold permitting rapid separation. The quick-breaking process improves oil-water separation by releasing more water and thereby reducing slop storage.

FEATURES

- Solvent-based cleaner
- Quick breaking
- Contains no surfactants
- Fresh scent
- Non-corrosive

APPLICATION & USE

DREWCLEAN 3000 quick breaking degreaser should be used undiluted and applied directly to soiled surfaces by brushing, wiping or spraying. Allow the degreaser to soak in for 10-20 minutes, then hose rinse with fresh or salt water. When it is not possible to pressure rinse, use a sponge to apply the rinse water. When using DREWCLEAN 3000 in dip pans or for parts cleaning, soak the soiled parts in undiluted DREWCLEAN 3000 degreaser until the soils are softened. Remove the parts, rinse them with water, and wipe them with a clean cloth. For cleaning deck plates, tank tops, machinery, bilges, and for general deck and engine room maintenance, spray DREWCLEAN 3000 full strength on soiled surfaces and allow the degreaser ample time to soak and make contact with the soils. After soaking, hose off with fresh or salt water.

TYPICAL PHYSICAL PROPERTIES

Appearance:	Clear, green liquid
Scent:	Pleasant
Specific Gravity @ 25° C:	0.790
Flash Point:	62.8° C
Aromatic content:	Less than 0.9%

NOTE: Always wear the appropriate personal protective equipment when using this product.

BENEFITS

- Easily removes aged or fresh oily soils.
- Minimizes time and cleaning effort
- Does not harm separator
- Reduces slop storage resulting in lower operating costs
- Will not cause oily-water mixtures to emulsify
- Will not cause emulsions to reform when pumped by a centrifugal type pump to oil filtering equipment.
- Reduced environmental impact
- Pleasant to use
- Safe for use on painted and unpainted surfaces and ferrous and non-ferrous metals, including aluminum and its alloys



Contact your Drew Marine representative for more information

PACKAGING

DREWCLEAN 3000 quick breaking degreaser is available in 25-liter containers (PCN 5480405).

IMPORTANT INFORMATION

Drew Marine maintains Safety Data Sheets on all of its products. Safety Data Sheets contain health and safety information for your development of appropriate product handling procedures to protect your employees.

Our Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using Drew Marine products.



Contact your Drew Marine representative for more information

Drew Marine maintains Safety Data Sheets on all of its products. These documents contain health and safety information for the development of appropriate product handling procedures to protect your employees. Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using Drew Marine products.



Drew Marine®

**100 South Jefferson Road
Whippany, NJ 07981 USA
1-973-526-5700
Drew-Marine.com**

Copyright © Drew Marine. All Rights Reserved. All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which seller assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.