

OIL SPILL KITS



DESCRIPTION

Oil Spill Kits are designed to meet the OPA '90 U.S. Coast Guard Regulation 33 CFR Part 155 - Discharge Removal Equipment for Vessels Carrying Oil and California Oil Spill Contingency Regulations - CA1644. The OPA '90 regulation requires oil tankers operating in U.S. territorial waters to have oil discharge removal equipment on board for on-deck oil spills. Vessels with an overall length of 400 feet or less must be able to contain and remove on-deck oil spills of at least 7 barrels (294 gallons or 1112 liters). Vessels with an overall length of 400 feet or greater must be able to contain and remove on-deck oil spills of at least 12 barrels (504 gallons or 1907 liters). Inland barges must be able to contain and remove on-deck spills of at least 1.5 barrels.

The State of California in the United States has implemented new regulations (CA1644) for non-tanker vessels (>300 gross tons) with regard to oil spill contingency plans. These regulations require the following equipment in preparation for bunkering operations in marine waters:

1. Sorbents sufficient to contain seven barrels of oil
2. Non-sparking hand scoops, shovels and buckets
3. Containers suitable for holding seven barrels of recovered waste
4. A minimum of 15 gallons deck detergent
5. Appropriate protective clothing to protect personnel from inhalation hazards, eye exposure and skin contact
6. Non-sparking portable pumps with appropriate hoses

The absorbency of the Oil Spill Kits we offer exceeds the requirements of OPA '90 and CA1644.

PRODUCT INFORMATION

- OSK OPA '90 Basic Kit (1.5 barrel) PCN 1AA8059
- OSK OPA '90 Standard Kit (7 barrels) PCN 1AA8060
- OSK OPA '90 Enhanced Kit (12 barrels) PCN 1AA8061
- OSK Absorbent Kit PCN 1AA8064
- OSK Accessories Kit PCN 1AA8065

CONTENTS OF CONTAINERS

The OSK OPA '90 Basic Kit (1.5 barrel), PCN 1AA8059, is available for absorbing small spills up to 1.5 barrels of oil. This is the minimum requirement for barges sailing in inland U.S. waters. This kit contains:



OSK OPA '90 Basic Kit (PCN 1AA8059)

- | | |
|----------------------------|-----------------------|
| 1 Drum, 208 liters | 1 Non-sparking Pump |
| 2 Disposable Coveralls | 2 Anti-static Shovels |
| 2 Pairs Protective Goggles | 2 Buckets |
| 2 Pairs Disposable Gloves | 150 Oil Sorbent Pads |
| 2 Non-sparking Scoops | 5 Oil Sorbent Pillows |
| 4 Disposable Bags | 4 Sorbent Socks |

The OSK OPA '90 Standard Kit (7 barrels), PCN 1AA8060, consists of one weather and corrosion-resistant container and is designed to absorb up to 7 barrels of oil. Ships of 400 feet or smaller are required to carry this type of oil spill kit. This kit contains:

- | | |
|-------------------------------|----------------------------|
| 1 Orange Container | 2 Anti-static Shovels |
| 5 Disposable Coveralls | 2 Buckets |
| 2 Pairs of Protective Goggles | 8 Oil Sorbent Pillows |
| 2 Pairs of Disposable Gloves | 12 Oil Sorbent Socks |
| 2 Non-Sparking Scoops | 3 packs of 4 Sorbent Booms |
| 10 Disposable Bags | 750 Oil Sorbent Pads |
| 1 Non-Sparking Pump | 1 Oil Sorbent Sweep |



Contact your Drew Marine representative for more information

The OSK OPA '90 Enhanced Kit (12 barrels), PCN 1AA8061, consists of two (2) containers and is designed to absorb up to 12 barrels of oil. Ships of 400 feet or greater are required to carry this type of oil spill kit. One container is identical to the OSK OPA '90 Standard Kit (7 barrels). The additional container contains:

36 Oil Sorbent Socks 200 Oil Sorbent Pads
 2 packs of 4 Sorbent Booms 3 Oil Sorbent Sweep

In order to facilitate the replenishment of the OSK OPA '90 Standard Kit and the OSK OPA '90 Enhanced Kit, refill kits are now available.

The OSK Absorbent Kit, PCN 1AA8064, is designed to refill the 7-barrel kit as well as the 12-barrel kit (order two if both containers need to be replenished) with absorbents to keep them in compliance (if the proper amount of accessories is present in the kit). This kit contains:

8 Oil Sorbent Pillows 750 Oil Sorbent Pads
 2 Oil Sorbent Socks 1 Oil Sorbent Sweep
 3 packs of 4 Sorbent Booms

The OSK Accessories Kit (available in a cardboard box), PCN 1AA8065, has been designed to refill the 7-barrel as well as the 12-barrel kit with accessories to keep them in compliance (if the proper amount of absorbents is present in the kit). This kit contains:

5 Disposable Coveralls 10 Disposable Bags
 2 Pairs Protective Goggles 1 Non-sparking Pump
 5 Pairs Disposable Gloves 2 Anti-static Shovels
 2 Non-sparking Scoops 2 Buckets

Contact your local Drew Marine representative for further assistance.



OSK OPA'90 Standard Kit (PCN 1AA8060)



OSK OPA '90 Enhanced Kit (PCN 1AA8061)

FEATURES

- Meets U.S. Coast Guard requirements
- Contains oil spills on decks
- Sorbents separate oil from water
- Promotes safer on board working conditions

BENEFITS

- Provides regulatory compliance
- Reduces effect of marine pollution
- Reduces cleanup costs
- Absorbs oil only
- Reduces risk of an accident
- Provides multiple cleanup spills
- Reduces shipboard waste disposal cost



Contact your Drew Marine representative for more information

Drew Marine maintains Safety Data Sheets on all of its products. These documents contain health and safety information for the development of appropriate product handling procedures to protect your employees. Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using Drew Marine products.



Drew Marine®

**100 South Jefferson Road
Whippany, NJ 07981 USA
1-973-526-5700
Drew-Marine.com**

Copyright © Drew Marine. All Rights Reserved. All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which seller assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.