

## DESCRIPTION

DREWPLUS 4009 G is a highly efficient foam control agent that controls and prevents foaming in wastewater treatment systems. DREWPLUS 4009 G foam control agent is based on nonionic alkylene oxide derivatives and does not contain any silicone or mineral oil based materials. DREWPLUS 4009 G is especially suited as a foam control agent for the control of foam formation in biological sewage treatment systems, where use of foam control agents containing silicone or mineral oils are a concern due to their impact on membranes. DREWPLUS 4009 G has proven its efficiency and effectiveness in the defoaming of wastewater.

## APPLICATION & USE

DREWPLUS 4009 G can be fed into the sewage collection tank using a metering pump. Dosage of DREWPLUS 4009 G is dependent on the foaming tendency of the wastewater to be treated. DREWPLUS 4009 G is most effective when completely dispersed into the media to be treated. DREWPLUS 4009 G should be introduced at a point where there is turbulence so that thorough distribution of the foam control agent can be achieved.

## STORAGE & HANDLING

Product should be stored at normal room temperature. At temperatures around 5° C, there is an increase in viscosity of the foam control agent, but this increase has no damaging effect on the product quality. Product is noncorrosive with materials used for pipes, such as steel, stainless steel, plastics, plasticlined pipes, and fiberglass, and noncorrosive with materials used for tanks, coated or not.

### FEATURES

- Nonionic alkylene oxide derivatives
- Effective over a wide pH range
- Highly efficient in temperatures between >10 to 100° C
- Does not contain mineral oil or silicone based materials

## TYPICAL PHYSICAL PROPERTIES

Appearance:	yellow liquid
Odor:	Faint
pH (10% dilution) @ 20° C:	4.5
Flashpoint (closed cup):	>100° C
Freeze point:	25° C to 5° C

## PACKAGING

DREWPLUS 4009 G is available in 25 L container (PCN 1430404).

## IMPORTANT INFORMATION

Drew Marine maintains Safety Data Sheets on all of its products. Safety Data Sheets contain health and safety information for your development of appropriate product handling procedures to protect your employees.

Our Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using Drew Marine products.


### BENEFITS

- Treatment is long lasting
- Suitable for use in MBR sewage treatment plant
- Improved system performance



Contact your Drew Marine representative for more information

Drew Marine maintains Safety Data Sheets on all of its products. These documents contain health and safety information for the development of appropriate product handling procedures to protect your employees. Safety Data Sheets should be read and understood by all of your supervisory personnel and employees before using Drew Marine products.



**Drew Marine®**

**100 South Jefferson Road  
Whippany, NJ 07981 USA  
1-973-526-5700  
Drew-Marine.com**

---

Copyright 2020© Drew Marine. All Rights Reserved. All statements, information and data presented herein are believed to be accurate and reliable but are not to be taken as a guarantee, express warranty or implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which seller assumes legal responsibility, and they are offered solely for your consideration, investigation and verification. Statements or suggestions concerning possible use of this product are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe on any patent.

DREWPLUS™ 4009 G PDS 0620 R1